

#### KENT COUNTY

## **HEALTH DEPARTMENT**



JOHN A. GRANT, M.D., M.P.H., DEPUTY STATE & COUNTY HEALTH OFFICER P.O. BOX # 359, CHESTERTOWN, MARYLAND 21620 • PHONE: 410-778-1350

August 7, 2001

Mr. William R. Nuttle P.O. Box 371 Chestertown, Maryland 21620

Re: Plat for Kenneth & Patricia Heruhy

Dear Mr. Nuttle:

We have received the above referenced plat from the Planning Office. Before approval can be granted the well and septic system locations will need to be shown on the plat.

Should you have any questions feel free to contact me at 410-778-1361.

Sincerely,

Mony Howey

Nony Howell Sanitarian Environmental Programs

NH:lsb

### DESCRIPTION OF A PART OF THE KENNETH HERLIHY LANDS, FIRST DISTRICT, KENT COUNTY, MD.

Beginning for the same at an iron pipe on the northwest side of a 30' right-of-way, said point being the southerly end of the division line between two lots of Kenneth Herlihy, one acquired from William Melas and the other from David Ward; and running, thence, by and with said right-of-way S 37 51 50 W - 2.48' to a new division line between the herein described lands and the remaining lands of the "Ward lot"; thence, by and with said new division line N 15 52 20 W - 502.46' more or less to the mean high waters of the Sassafras River; thence, by and with said river N 62 19 50 E - 2.04' to the original division line between the two lots; thence, by and with said original line S 15 52 20 E - 172.49' more or less to a concrete monument and S 15 52 20 E - 328.92' to the place of beginning. Containing in all 1004 square feet of land, more or less.

August 6, 2001.

William R. Nuttle.

DESCRIPTION OF THE WILLIAM MELAS LANDS, FIRST DISTRICT, KENT COUNTY, MD.

Beginning for the same at a concrete monument on the northwest side of a 30' right-of-way leading from the herein described lands to Md. Rte. 213, said point being the southernmost corner of the herein described lands, the easternmost corner of the lands of David C. Ward, and on the line of the lands of Merrick Y. Huyett; and running, thence, by and with said Ward lands N 15 52 20 W - 328.92' to a concrete monument, N 15 52 20 W - 167.49' to an iron pipe, and N 15 52 20 W - 5' more or less to the mean high waters of the Sassafras River; thence, by and with the mean high waters of said river N 65 10 40 E - 158.68' to the lands of Merrick Y. Huyett; thence, by and with said Huyett lands S 17 50 20 E - 6' more or less to an iron pipe, S 17 50 20 E - 119.24' to an iron pipe, and S 13 34 50 E - 292.00' to a concrete monument on the northwest side of the aforementioned 30' right-of-way; thence, by and with the northwest side of said right-of-way S 37 58 W - 185.00' to the place of beginning. Containing in all 1.639 acres of land, more or less.

Together with a 30° wide right-of-way running over the lands of Merrick Huyett to Md. Rte. 213.

December 23, 1986.


William R. Nuttle.


DESCRIPTION OF A CONVEYANCE AND LINE OF AGREEMENT BETWEEN THE WILLIAM MELAS AND MERRICK Y. HUYETT LANDS, FIRST DISTRICT, KENT COUNTY, MD.


Beginning for the same at an iron pipe marking the southeast corner of the lands of William Melas and a corner of the lands of Merrick Y. Huyett, said point being N 37 58 E - 185.00' from a concrete monument at the southwest corner of the Melas lands and the southeast corner of the lands of David C. Ward; and running, thence, by and with the intended division line between Melas and Huyett (erroneously described as S 17 23 E - 421') N 14 51 30 W - 416.99' more or less to the mean high waters of the Sassafras River; thence, by and with a new division line between the Melas and Huyett lands S 17 50 20 E - 6' more or less to an iron pipe at the base of a cedar post, S 17 50 20 E - 119.24' to an iron pipe at the top of the hill, and S 13 34 50 E - 292.00' to the place of beginning. Containing in all 1358 square feet of land, more or less.


December 22, 1986.

William R. Nuttle.









Move deed bearings Co 01°35'50"

515°52'20" E - 514°16' 30 E - 328.92

3 37°58' IN 539°33' 50" W /86.6

510°00'E 508°24'10"E


534°00'E 532°24'10"E

01014.10

N08042,20.M 12 58 42

Jin = 2 102.86 = 37.54

15 52 20



		_						
	ВІ	XZA	L138°44'	14:75			4725.64	476z.28
				74.73	-		 4159	4102.20
D	XZA	ASB	N(4°16-12" W	342.20				
	46	×34	R36° (('50"	88.46			5203.91	4627.23
	X3A		R159°51	14.77			*	
_	174	×36		15.46			5188.52	4628.64
D	A5A	X3B	N32º 16'43"W	146. <b>5</b> 2				
0	хзв	AGA	N05° 35` 36" W	146.40	,			
_	X3B	+4 A6A1	NO5° 35' 40"W	150.40			5338,20	4613.98
	A6	51		58.0			5312, 45	4703.22
	51	SIA	R90°	15			5326,21	4697.26
D	A641	SIA	581°48'25°E	84.14				
	ΧI	Sz	N14º16 30"W	501.41		,	5355.50	4757.12
۵	SIA	SZ	N63°55' 37"E	66.64				
	ΧI	XZA	537051.50°W 539°27.40°W	186.42	83120			
	XZA	A58	U15° 52' W N14° 16' 10" W	342.20	1,908 Ac.			
	458	45A	N74°08°E N75°43`50"E	29.88	(cew 01°35'50"	)		
	A5A	x 3B	N 33° 52° 30°W N 32°/6′ 40°W	146.52				
	X3B		NO7º 11' 30" W NO5° 35' 40" W	150.40				
	A641	SIA	583° Z4' 20' E 581°48' 30" E	84.14				
	SIA	52	NG2º19:49"E NG3º55:40"E	66.64				
	52	<b>X</b> /	515°52'20°E 514°16'30°E	501.41	,			
			es*					
-							 	
الــــــــــــــــــــــــــــــــــــ				50. 177 - 21. 17. 16. 1 E - F				

Herling

		_						
=	T	T			T		5000	5000
	AI	AZ	535°00' W	192.43			4842.37	4889.63
		\ \ \	149.51.10"	160.55			/	1010
	AZ	A3	N14° 51' 13" W	157.32	ļ	-	1 4994.43	4849,30
	Az	A4	R172°33' N 22º18' 15"W	118.03			J 5103,63	4804.50
	1		2/33°41'10"				- 3103707	
	A4	A3	N 68°37'12" N	104.09			1 5141.58	4707.57
	1		L132° 39'40"	15010			( 5: 5: 5:	
	A5	A6	N 21º16'47" N	158.62			√ 5289.39	4650.00
	A6	A6A	R162°48'20"	57.26			1 5334,22	4614.37
-	10	TOTAL	R138°23'10"	311/20			V 3334122	40/4/3/
	AI	AIA	2100 20	12.28			50 12.20	4998.59
			1160° 57'50"				/	
	A4	ALA		84.84			15188,33	4799.66
۵	AIA	A4A	N48°28'43"W	265,70				<b>_</b>
	A.V.	1-47	10 40 28 43 W	203110	-	<del>  </del>		
						,		
	4	В	537058 W	185.00	/			
	B	C	N 15°52'20"N	328,92	/		/ 5:54 55	154/ 55
-	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	_	1013 82 20 10	120172	<del> </del>	-	J 5170.53	4796.23
4	A	C	N 50°04 29°W	265.71				
	1 44		5/10/1/2000	200 0-			1010 ==	(800
-	A4A	X1	S14° 16' 30'E	328.9z		<del>                                     </del>	- 4869.57	4880.76
	χı	XZ	5 39°33 50°W	186.60			× 4725.71	4761.91
			R69°07'30"				7100.11	10.11
	A5	45A	50° 30' 22"W	76.94			-5064.64	4706-89
	ACA	AED	L104° 46' 30"	20.00				1/6-
-	A54	ASB	575°43`53"W	29.88			~ 5057.28	4677.93
۵	XZ	A58	N14° (2' 46" W	342.04				-
				¥ . 5/0+		<del>                                     </del>		
	A5A	x 3	N 32042'50"W	148	<u> </u>		5189.16	4626.90
	Y 2		11010 = 1		508°42°30'E			
٥	X3	A6A	N 04° 56' 12' W	145.60				
0	X3	16	N12°58'42'E	102.86	37. <b>5</b> 4			
-			L170°44. 20"	(00,00	J 1 -			
	A2	BI	544° 15' 36" W	161.39			4726,79	4776.99
D	BI	XZ	S 85°54' 11" W	15,12				
0	A2	×ι	N 18003. 38" W	20 /1				
	712	~ '	V 10 03 30 W	28.61		LL		

Huyett EHP 40/595 517838-421.5 N/2029'W Melas C.M. CIM . 2325 375°29W N 37058 E MD. 213 N 75°28 E

1				
i	16.2 × 13.2	208	2	10, 709 = 15%
	6 K 10	60		
	18 x 23	414		ß.
7	14×12	168	х	
house	30 x 26	780	2405	
	26 ( 10	260	39	
	10 x 4	60		
×	25×19	415	2 2	· · · · · · · · · · · · · · · · · · ·
tennis.	50×110	880	_880 5500	y.
	26×24	624	3909	у
7	y 2	· · · · · · · · · · · · · · · · · · ·	2707	>
	12× 180	2160	7	
	12x 140	1680		
		Total -	7749 (12, 369)	

Rith D. Melas EHP 62/421

Parall Lot 4 of Huyoth land.

Begin C.M. N side Nd. from Med. 213 to Hopepott at SE on Barnaly

W/ Barnaby N15°30'00- 514.5 to stake on Barn. Rivin

W/ rivin E dir. 158 to stake at NE con.


W/ Huy ett S12°00'E. 161 to non port


wf sd. 537°58'w. 135 to begin

Paral z

Begin stale on NW side 50 Lane at SE con Melas wf NW side Huyett N 37°58'E - 50' to stale w/ New line N 17°13'w. 421 to ruin


512°00'E. 452 0.2 Ac. 291 452





1 -					
Дι	AZ	AZ	D°	192,43	
ì		1.0.	R138 23 10	12.28	
AZ	AL	A3	L4905110	157.32	
		B(	L17044 20	161.39	
A3	AZ	<b>A</b> 4	E172°33	118.03	
A4	A3	AS	R1334116	104.09	
	•	C.M.	L1605750		
A5	AL	AL	L132°39'40		
		Stone	R69.07 30		
ASA	A5	C.M.	L104° 46' 30		
Ale	45	1. P. 4'			
N.O		MHW	L92°09	58.0	R90° 15
		base Slope	L45°50 30	77.44	
		10	L15°28 20	63,4	+5.76
		11	R40°57	59.66	+9.02
A2	BI	X1	R117°40 45	28.61	1.P. 2
BI	42	XZA	L138 44'	14.75	C.o.
46	A5	X3A	236°(150	38.46	
X3A	A6	X3B	E159°51'	15.46	found
			is a second		

1.





PLAT OF A SURVEY OF PART OF THE
KENNETH & PATRICIA HERLIHY LANDS


(ST DISTRICT, KENT COUNTY, MO.

Scale 1"=100'

May 2001.

William R. Nuttle, Reg. Surveyor Chestertown, Md.

I.P. = iron pipe C.M. = Concrete monument



## WILLIAM R. NUTTLE

REGISTERED SURVEYOR

P.O. BOX 371

CHESTERTOWN, MARYLAND 21620

TELEPHONE 410-778-3490

June 28, 2001.

Miss Marsha Fritz 101 N. Queen St. Chestertown, Md. 21620

#### Marsha:

I am passing the buck. Mrs. Herlihy said that you were involved in this, and I am counting on you to shepherd this through zoning. The enclosed plats are a start. When all changes are made and every one is happy I will furnish the necessary final plats.

Bile


# April 12, 2001

Pat [-leoling 1986 Km 648 5581
Km 648 5581
610 688 0792
504 Woodland Ct.
Wayore, PA (9087
buying lot next door
300-400
/72
328,98 501.41
0141

Kenn near	eth Geor	Herlihy getown		
		Ap	ril 2001	
			ei de	
		·	1	
	Kenn	Kenneth near Georg		Kenneth Herlihy near Georgetown  April 2001

į

1



Note: FIRM Map 240045 0035B shows this lot in both Zones C and All. All improvements, except for the boat house, are in Zone C. RIVER SASSAFRAS N65° 10 40 E - 158.68 -MERRICK Y. HUYETT boat house 25± 6.7x12.1 0.5 fr. shed 1.639 Ac.± 9.0' deck studio 1 Sty. dwg. Scale | "= 40" tennis court DAVID C. WARD C.M. Inspected, studio, tennis court, and additions to house located, 30 RIGHT. OF WAY and re-certified Sept. 15, 1993 ANO. 4180 O CR. HILLIAM SURVEY OF THE PROPERTY william This is to certify that the improvements indicated hereon are located as shown. trulle - TO MD. RTE. 213 SURVEY AND /MPROVEMENTS LOCATION WILLIAM MELAS LANDS Owners: Kenneth & Patricia Herlihy IST DISTRICT, KENT COUNTY, MD. 213 Mill Creek Scale |"=100' Galena, Md., 21635 Dec. 1986. William R. Nuttle, Reg. Surveyor Chestertown, Md. 1. P. = iron pipe set C.M. = Concrete monument found



APPROVED BY:

Kent County Director of Planning.

Kent County Health Officer

SASSAFRAS RIVER

S17°50'20'E-125.24'±

HUYETT LANDS TO BE ADDED TO THE MELAS PROPERTY-1358 SO.FT. ± (This is not a separate lot)

MERRICK Y. HUYETT EHP 40/595

WILLIAM MELAS EHP62/421

DAVID C. WARD EHP (65/319)

C.M.O

N37° 58 E 185.00

30 216HT 05-WAY

ANO. 4180

PROPERTY LINE ADJUSTMENT
MELAS & HUYETT LANDS

I ST DISTRICT, KENT COUNTY, MD.

Scale |"=100"

Dec.1986.

William R. Nuttle, Reg. Surveyor Chestertown, Md.

1.P. = Iron pipe C.M. = concrete monument

TO MD. RTE. 213